



## PART **B**

## **METOIDIOPLASTY**

INFORMATION BOOKLET





### TABLE OF CONTENT

- 1. GENERAL PRESENTATION
- 2. WHAT IS A MASTECTOMY
- 3. PREREQUISITES
- 4. SURGICAL PROCEDURE
- 5. ADDITIONAL INFORMATION ABOUT THE SURGICAL PROCEDURE
- 6. RISKS AND COMPLICATIONS
- 7. INFORMED CONSENT

8. THE MONTHS PRECEDING THE SURGICAL PROCEDURE	4
9. PACKING YOUR SUITCASE	7
10. PREPARING FOR YOUR RECOVERY AT HOME	10
11. THE DAY BEFORE THE SURGICAL PROCEDURE	11
12. THE MORNING OF THE SURGICAL PROCEDURE	13
13. YOUR STAY AT THE COMPLEXE CHIRURGICAL CMC	15

14. THE HEALING PROCESS AND COMMON POSSIBLE COMPLICATIONS

- 14.1 GENERAL INFORMATION
- 14.2 ONE TO FOUR DAYS FOLLOWING SURGERY
- 14.3 FOUR TO TEN DAYS AFTER THE SURGICAL PROCEDURE
- 14.4 TEN DAYS TO FOUR WEEKS FOLLOWING YOUR SURGICAL PROCEDURE
- 14.5 MORE THAN A MONTH AFTER YOUR SURGICAL INTERVENTION

15. POST-OPERATIVE FOLLOW-UPS

PART C



# 8. THE MONTHS PRECEDING THE SURGICAL PROCEDURE

### **8.1 PRE-OPERATIVE QUESTIONNAIRE**

The pre-operative questionnaire completed upon opening your file is valid for a period of six months. After this period, for safety reasons, we will ask you to complete it again.

AT ANY TIME BEFORE YOUR PROCEDURE, PLEASE NOTIFY US IF:

- You notice a change in your health status.
- Your life situation changes our team will work with you to help you get the necessary resources.
- You have a bacterial or viral infection ask your attending physician to send us their consultation report clearly mentioning the details of the infection and treatment.
- There are changes to your current medication please provide us with an updated list from your pharmacy.

### **8.2 PRE-OPERATIVE EXAMINATIONS**

A resting electrocardiogram (ECG) with interpretation will be required if you are 60 years of age or older. You must provide us with the results, including the tracing, at least two months before the date of your surgical procedure. Please note that this is valid for a period of four months.

After analysis of your ECG, you may be asked to undergo additional examinations. If required, be sure to send us the results as soon as possible to avoid postponing your surgical procedure.





### **8.3 PRE-OPERATIVE MEDICATION**

### MEDICATIONS TO BE CONTINUED

At all times, before your surgical procedure:

- continue taking your hormones (testosterone),
- continue taking your antidepressants and neuroleptics,
- take acetaminophen without risk (paracetamol product, Atasol<sup>®</sup>, Tylenol<sup>®</sup>, Efferalgan<sup>®</sup>, Doliprane<sup>®</sup>.

### MEDICATIONS TO STOP

It is your responsibility to check whether the medicines you are taking contain any of the products mentioned below. If in doubt, consult your attending physician or pharmacist.

<u>Three months</u> before the surgical procedure, stop:

□ oral retinoids (Accutane®).

<u>Two weeks</u> before the surgical procedure, stop:

- natural health products
- □ homeopathic products
- □ garlic capsules
- vitamin E.

Some natural products have effects on the liver that can alter liver enzymes and thus increase the risk of bleeding. Due to the lack of scientific data on post-operative complications possibly linked to the use of natural and homeopathic products, we recommend that you discontinue them.

You can continue to take multivitamins and vitamins A-B-C-D.

<u>Ten days</u> before the surgical procedure, stop:

- any product containing acetylsalicylic acid, such as Aspirin<sup>®</sup>,
- anti-inflammatories (unless otherwise advised by your attending physician or surgeon) such as: ibuprofen, Advil<sup>®</sup>, Celebrex<sup>®</sup>, Indocid<sup>®</sup>, Motrin<sup>®</sup>, Naprosyn<sup>®</sup>, Orudis<sup>®</sup>, Vioxx<sup>®</sup>, Voltaren<sup>®</sup>, etc.,
- □ cold and flu medications such as Tylenol Sinus<sup>®</sup>, Advil Sinus<sup>®</sup>, cough syrup, etc.







### 8.4 ALCOHOL

Alcohol increases the risk of bleeding during surgery. Mixing alcohol and medications can also cause unpredictable side effects. Stop all alcohol consumption **two weeks before and three weeks after** the surgical procedure.

### 8.5 TOBACCO

Stop smoking cigarettes or electronic cigarettes containing nicotine and nicotine substitutes (Nicorette<sup>®</sup> or others) at least six weeks before and eight weeks after your surgical procedure. The nicotine and toxic substances in these products can constrict small blood vessels and therefore:

- slow down the healing of your wounds and thus increase the risk of infection,
- increase the risk of respiratory problems and pneumonia after the procedure,
- cause nausea or vomiting and bouts of coughing when getting up, increasing the risk of post-operative bleeding.

### 8.6 CANNABIS

Please refer to the Cannabis section of *Metoidioplasty* booklet - **Part A** for information regarding cannabis.

### 8.7 BODY MASS INDEX (BMI)

During your pre-operative assessment, you may have been given a weight goal. To optimize results and reduce the risk of complications, we ask you to maintain this goal and to inform the nurse in charge of your file of any changes.

### Please note that if your BMI is over 30 on the morning of surgical procedure, your surgeon may postpone your surgery.

Please refer to the BMI section of Metoidioplasty booklet - Part A.





### 9. PACKING YOUR SUITCASE

The Complexe Chirurgical CMC is not responsible for the loss, damage, or theft of personal belongings. Do not bring large sums of cash. Leave jewelry and valuables at home.

### 9.1 SMALL WHEELED SUITCASE

Your suitcase must be a carry-on size and **weigh no more than 10 kg (22 lb)**. We ask you to follow this directive for the following reasons:

- Risk of injury to you or our staff when handling luggage that is too heavy or too bulky,
- Restricted space in the care unit's rooms,
- Risk of falling floors must remain clear.

### 9.2 DOCUMENTS TO BRING

- □ Health insurance card of your province (RAMQ if you reside in Quebec),
- □ Updated list of your medications. Ask your pharmacist for this list.
- □ For non-Canadien residents:
  - Your passport
  - o the "Medical Services Contract"
  - o the "Governing Law and Jurisdiction Agreement" form

If you are a patient non-Canadian resident and have not received these documents, please contact us at 1 514 288-2097.





### 9.3 PERSONAL BELONGINGS FOR THE DURATION OF YOUR STAY

- □ Inhalation pump and inhalation chamber, if applicable.
- □ Glasses or contact lenses, lens case and solution, if applicable.
- Dental prostheses and containers, if applicable.
- □ Hearing aids and case, if applicable.
- Personal medication must be properly identified and must be kept in its original container.

Personal care products:

- 🗆 Shampoo
- Toothpaste and toothbrush
- Unscented lotion
- Deodorant
- Etc.

Personal clothing (quantity to be adapted according to the length of your stay):

- □ Loose-fitting clothing (joggers, skirts, dresses) in sufficient quantity for the length of your stay,
- □ 1 pair of slippers with non-slip soles or sandals,
- □ 1 pair of easy-to-slip-on shoes,
- □ Loose-fitting pyjamas or nightgowns,
- 🗆 1 bathrobe,

Please note that we do not provide a laundry service for personal clothing.

### Entertainment:

- 🗆 A book
- □ A music player and charging cable
- Your headphones
- Etc.



### 9.4 ITEMS TO OBTAIN FOR THE PREPARATION OF THE SURGERY

These items must be brought with you if you are staying at a hotel before your surgery.

- 2 sodium phosphate enemas of 130ml each (Enema® or other brand - at a cost of approximately \$15 for 2 enemas);
- □ Electric razor (clippers); available from \$15 to \$25
- 2 chlorhexidine sponges or soap for pre-operative showers.

If you are traveling by plane and have only a carry-on suitcase, make sure your soap and enemas containers are approved by the airplane company.

### 9.5 ITEMS TO BRING FOR YOUR STAY AT ASCLEPIADE RECOVERY CENTRE (IF APPLICABLE) AND YOUR RETURN HOME

- Portable mirror with support to clearly see your genitals during your treatments
- □ Mild, fragrance-free soap such as Dove® or Ivory®
- □ Non-sterile, 4 x 8 compresses (gauze) for wound care
- □ Loose-fitting clothes for your return home.

### 9.6 ITEMS FOR THE POST-OPERATIVE PERIOD THAT YOU LEAVE AT HOME

- □ A thermometer
- □ NaCl 0.9% saline solution: necessary to clean wounds once a day
- □ A tube of silicone gel or vitamin E cream for massaging the scars.



DEXIDIN 4





### **10. PREPARING FOR YOUR RECOVERY AT HOME**

### **10.1 MEALS AND SNACKS**

Cook meals, freeze them and buy non-perishable food so you don't have to cook when you get home. It is important to incorporate enough protein into your diet as it has a direct influence on wound healing. In addition, adequate hydration and a balanced menu will optimize your immune functions, giving you better protection against infection.

### **10.2 YOUR HOME-BASED ACTIVITIES**

Movements will be limited, as will the amount of weight you can lift. You will probably need help with household activities. **Ask a family member or friend to be available if you need them.** This person can accompany you wherever you go and, if necessary, help you with personal care and daily activities.

### **10.3 RETURN TO WORK AND NOTIFICATION TO YOUR EMPLOYER**

The recovery period is 4 to 12 weeks and may vary depending on the nature of surgery and your work. It is important to notify your employer. If you would like a letter justifying a period of time off work, please contact the GrS Montréal consultation office.





### **11. THE DAY BEFORE THE SURGICAL PROCEDURE**

### **11.1 CHANGE IN YOUR HEALTH STATUS**

The day before your surgery, if you have a fever (temperature higher than 37.5 °C) or flu-like symptoms, diarrhea or vomiting, please notify the nursing staff as soon as possible at 514 332 7091, ext. 232. You can leave a message on voicemail.

### **11.2 ENEMAS**

The day before your surgery, you must self-administer the 2 sodium phosphate enemas intrarectally. Follow the instructions on the packaging.

- o 1<sup>st</sup> enema at 4 p.m.
- o 2<sup>nd</sup> enema around 8 p.m.

### **11.3 SHOWER THE DAY BEFORE THE PROCEDURE**

You **must** take a shower the day before **and** the morning of your procedure.

To reduce the risk of infection and the number of bacteria on your skin during the operative and post-operative periods, you must use the chlorhexidine sponges or soap that you bought to wash the area to be operated on.

Be sure to carefully follow the instructions supplied with the product carefully, and avoid contact with the eyes, outside the ears and genital mucus membranes. After showering, **do not apply lotion, creams or deodorants to your skin**.

### **11.4 FASTING**

You must **fast from midnight** before your surgical procedure, meaning consume no solid or liquid foods, <u>including water</u>. Avoid chewing gum or sucking candy. You may, however, brush your teeth and rinse your mouth.





### 11.5 ARTIFICIAL NAILS, NAIL POLISH AND PIERCING JEWELRY

Remove artificial nails and nail polish, since nail colour is a good indicator of oxygen levels in your blood. In addition, the device used to measure your oxygen level may have difficulty reading the results if your nails are covered with nail polish, even if it is transparent, or if you have artificial nails.

You **must** remove all your piercing jewelry, as there is a risk of burns during the procedure. Please note that the surgeon may refuse to proceed with the surgery if you refuse to remove them. However, body piercing jewelry can be temporarily replaced by silicone piercing jewelry, except for those on the face, mouth and neck, which must be removed.





### **12. THE MORNING OF THE SURGICAL PROCEDURE**

### **12.1 PREOPERATIVE HAIR REMOVAL**

### **WHEN**

Before the preoperative shower on the morning of surgery and a **maximum of 12 hours** before the procedure.

### <u>AREA</u>

Remove hair from the area to be operated on: navel to mid-thigh, including pubic area, genitals, groins and around the anus.


### <u>METHOD</u>

Use an electric razor. You do not need to shave close to skin; 1 mm of hair can be left.

Be careful, however, <u>not leave more than 1 mm</u>, otherwise you will have to shave again, which could have an impact on the timing of your surgical procedure.

Hair removal with wax or razor blades is prohibited. Depilatory cream must be avoided because of the risk of skin reactions.

The nursing staff will check the shaved area before your surgery.



Area to shave: from the navel to midthigh including pubic area, genitals, groins and around the anus.

### **12.2 SHOWER ON THE DAY OF SURGERY**

You will have to take another shower the morning of the surgical procedure to wash the area to be operated on with the chlorhexidine sponges or soap. After the shower, **do not apply lotion, cream or deodorant to your skin**.




### **12.3 PERSONAL MEDICATION**

Your regular medication, including diabetes, heart and blood pressure medications, and inhalation pumps (even if you normally use them only when needed) will be administered to you after assessment by our clinical team upon admission the morning of the procedure. **You should therefore bring your personal medication with you for admission.** 

If the nursing staff authorizes you to take your usual medication the morning of your procedure, you can take it with only a sip of water.

Therefore, do not take any medication before meeting the nurse responsible for your admission. If you have questions, you can contact the administrative assistant in charge of your file at 1 514 288-2097.





### **13. YOUR STAY AT COMPLEXE CHIRURGICAL CMC**

### **13.1 ADMISSION**

A member of the GrS Montréal team will inform you one week before your surgery of the time when you will be expected at the Centre Métropolitain de Chirurgie. On the morning of your surgical procedure, you will be greeted by a member of the nursing staff who will complete your file with you and answer any questions you may have.

Please note that the time of your admission **does not correspond to the time of your surgical procedure**, since the latter cannot be accurately confirmed. After your arrival at our facility, you may have to wait from one to several hours before your surgery, depending on the day's operating schedule.

### **13.2 MEDICAL CONSULTATION**

The morning of your surgery, you will meet your anesthesiologist and surgeon. They will answer your last questions before your surgical procedure.

### **13.3 PREMEDICATION SPECIFIC TO YOUR SURGERY**

Approximately two hours before your surgery, the nursing staff will administer premedication tablets to reduce post-operative pain and the risk of nausea and vomiting.

### **13.4 OPERATING ROOM**

You will be taken to the operating room by a member of the care team.

When you arrive at the operating room, members of the surgical team will verify your identity and the information in your medical file. For safety reasons, you will be asked to confirm your identifiers several times.

### For information on anesthesia, please refer to Metoidioplasty booklet, Part A.

### **13.5 RECOVERY ROOM**

Immediately after surgery, you will be transferred to the recovery room for 30 to 90 minutes. At this time, it is normal to experience nausea and vomiting. which are possible side effects of anesthesia. The nursing staff will administer medication to control nausea and vomiting, as well as to alleviate your pain, and will provide continuous monitoring.





### 13.6 CARE UNIT AND MAISON DE CONVALESCENCE ASCLÉPIADE

You will then be transferred to your room in the care unit for 1 or 2 nights, depending on your surgeon's instructions.

To avoid complications, early mobilization is preferred. You will get up for the first time on the day of surgery with the help of the nursing staff. You will be encouraged to walk and get up frequently.

If necessary, you will be given medication to manage your pain.

Eating will be resumed gradually, according to your tolerance.

Then, depending on the type of surgery and the surgeon's orders, you will be discharged or transferred to the Asclépiade convalescent home.

You will receive information and teaching related to your post-operative care.

### **13.7 YOUR ACCOMPANYING PERSONS**

Your accompanying persons will not be allowed to follow you into the operating room. They can wait for you in the waiting room.

When you return to your room in the care unit, your accompanying persons will be allowed to visit you. To respect the peace and privacy of other patients, only one person at a time is allowed at your side. If patients' peace and quiet is not respected, we will be obliged to intervene and may ask to minimize the visiting time.

During your stay, no meals will be served to your accompanying persons. Please ask the staff about nearby restaurants.

### **13.8 RETURNING HOME**

Depending on the surgical options chosen and the surgeon's instructions, you will be medically discharged between one and eight days after surgery. You will have to plan your own means of transport for the journey home, knowing that you will not be allowed to drive.

On the day of your discharge, we ask that you vacate your room early in the morning to allow us to welcome a new patient. However, you may wait in the lounge for your companion or transport. Please make sure you have all your personal belongings and identification before you leave.

A that point, you will receive your discharge prescription, including information about your post-operative care at home.





999, rue De Salaberry Montréal (Québec) H3L 1L2 Téléphone : 514 288 2097 Télécopieur : 514 288 3547 www.grsmontreal.com

© All rights reserved. This document, its annexes and its contents are the property of the Complexe chirurgical CMC. Any reproduction, partial or total, is prohibited.